



Kristen Harper

SEX: M	AGE: 71	DATE: 9/4/13	LAB NO. 531830	CLIENT ACCT. NO. 82436
--------	---------	--------------	----------------	------------------------

Metric	Ideal (Bar)	Ideal (Area)	Actual (Bar)	Actual (Area)
21.0	40	80	24	24
3.0	6	12	3	3
12.0	25	45	15	15
7.0	10	18	7	7
0.7	3.5	4.2	0.7	0.7
1.8	2.5	3.0	1.8	1.8
0.009	0.04	0.05	0.009	0.009
16.0	20	24	16	16
0.065	0.12	0.14	0.065	0.065
0.047	0.18	0.21	0.047	0.047
12.0	16.0	19.2	12.0	12.0

[illegible]

LEAD (Pb)	MERCURY (Hg)	CADMIUM (Cd)	ARSENIC (As)	ALUMINUM (Al)
PREVIOUS TEST	PREVIOUS TEST	PREVIOUS TEST	PREVIOUS TEST	PREVIOUS TEST

<div>NICKEL</div> <div>(Ni)</div> <div>PREVIOUS TEST</div> <div></div>	<div>COBALT</div> <div>(Co)</div> <div>PREVIOUS TEST</div> <div></div>	<div>MOLYBDENUM</div> <div>(Mo)</div> <div>PREVIOUS TEST</div> <div></div>	<div>LITHIUM</div> <div>(Li)</div> <div>PREVIOUS TEST</div> <div></div>	<div>BORON</div> <div>(B)</div> <div>PREVIOUS TEST</div> <div></div>
--	--	--	---	--

[illegible]

MIXED OXIDIZER	***
----------------	-----

FAST OXIDIZER

SLOW OXIDIZER